Worksheets for PG-SGA Scoring

٦.

Boxes 1-4 of the PG-SGA are designed to be completed by the patient. The PG-SGA numerical score is determined using 1) the parenthetical points noted in boxes 1-4 and 2) the worksheets below for items not marked with parenthetical points. Scores for boxes 1 and 3 are additive within each box and scores for boxes 2 and 4 are based on the highest scored item checked off by the patient.

Worksheet 1 - Scoring Weight (Wt) Loss To determine score, use 1 month weight data if available. Use 6 month data only if there is no 1 month weight data. Use points below to score weight change and add one extra point if patient has lost weight during the past 2 weeks. Enter total point score in Box 1 of the PG-SGA.	Worksheet 2 - Scoring Criteria for Condition Score is derived by adding 1 point for each of the conditions listed below that pertain to the patient. Category Points Cancer 1 AUSE 1
Wt loss in 1 monthPointsWt loss in 6 months10% or greater420% or greater5-9.9%310 -19.9%3-4.9%26 - 9.9%2-2.9%12 - 5.9%0-1.9%00 - 1.9%	AIDS1Pulmonary or cardiac cachexia1Presence of decubitus, open wound, or fistula1Presence of trauma1Age greater than 65 years1
Score for Worksheet 1 Record in Box 1 Worksheet 3 - Scoring Metabolic Stress Score for metabolic stress is determined by a number of variables known to increa of > 102 degrees (3 points) and is on 10 mg of prednisone chronically (2 points)	score for Worksheet 2 = Record in Box B = ase protein & calorie needs. The score is additive so that a patient who has a fever would have an additive score for this section of 5 points.

Stress	none (0)	low (1)	moderate (2)	high (3)
Fever	no fever	>99 and <101	≥101 and <102	≥102
Fever duration	no fever	<72 hrs	72 hrs	> 72 hrs
Corticoteroids	no corticosteroids	low dose (<10mg prednisone equivalents/day)	moderate dose (≥10 and <30mg prednisone equivalents/day)	high dose steroids (≥30mg prednisone equivalents/day)
			1 J.	Score for Worksheet 3 = Record in Box C

Worksheet 4 - Physical Examination

Physical exam includes a subjective evaluation of 3 aspects of body composition: fat, muscle, & fluid status. Since this is subjective, each aspect of the exam is rated for degree of deficit. Muscle deficit impacts point score more than fat deficit. Definition of categories: 0 = no deficit, 1 + = mild deficit, 2 + = moderate deficit, 3 + = severe deficit. Rating of deficit in these categories are *not* additive but are used to clinically assess the degree of deficit (or presence of excess fluid).

Fat Stores:					Fluid Status:				
orbital fat pads	0	1+	2+	3+	ankle edema	0	1+	2+	3+
triceps skin fold	0	1+	2+	3+	sacral edema	0	1+	2+	3+
fat overlying lower ribs	0	1+	2+	3+	ascites	0	1+	2+	3+
Global fat deficit rating	0	1+	2+	3+	Global fluid status rational status s	ng 0	1+	2+	3+
Muscle Status:					Point score for the physical	exam is	determined	by the o	verall
temples (temporalis muscle)	0	1 +	2+	3+	subjective rating of total boo			5	
clavicles (pectoralis & deltoids)	0	1 +	2+	3+	No deficit		= 0 points		
shoulders (deltoids)	0	1 +	2+	3+	Mild deficit		= 1 point		
interosseous muscles	0	1 +	2+	3+	Moderate deficit		= 2 points		
scapula (latissimus dorsi, trapezius, deltoide	s) 0	1+	2+	3+	Severe deficit		= 3 points		
thigh (quadriceps)	0	1+	2+	3+		50010	o pointo		
calf (gastrocnemius)	0	1+	2+	3+		Seen	for Work	choot 1	
Global muscle status rating	0	1+	2+	3+					
						R	lecord in	Box D	

Worksheet 5 - PG-SGA Global Assessment Categories

WULKSHEEL J - 1	G-SGA Giubai Assessment	Categories	
Category	Stage A Well-nourished	Stage B Moderately malnourished or suspected malnutrition	Severely malnourished
Weight	No wt loss OR Recent non-fluid wt gain	~5% wt loss within 1 month (or 10% in 6 months) OR No wt stabilization or wt gain (i.e., continued wt loss)	 > 5% wt loss in 1 month (or >10% in 6 months) OR No wt stabilization or wt gain (i.e., continued wt loss)
Nutrient Intake	No deficit OR Significant recent improvement	Definite decrease in intake	Severe deficit in intake
Nutrition Impact Symptoms	None OR Significant recent improvement allowing adequate intake	Presence of nutrition impact symptoms (Box 3 of PG-SGA)	Presence of nutrition impact symptoms (Box 3 of PG-SGA)
Functioning	No deficit OR Significant recent improvement	Moderate functional deficit OR Recent deterioration	Severe functional deficit OR recent significant deterioration
Physical Exam	No deficit OR Chronic deficit but with recent clinical improvement	Evidence of mild to moderate loss of SQ fat &/or muscle mass &/or muscle tone on palpation	Obvious signs of malnutrition (e.g., severe loss of SQ tissues, possible edema)
			Global PG-SGA rating (A, B, or C) 🛛 = 🗌