D-4-	C	. امصدما
Date	Comp	ietea:

Immuno-Oncology Care Transition Summary

	TREATMEN	T SUMMARY		
Name of Patient:				
Oncologist:	Oncologist: Contact Info:			
	DIAG	NOSIS		
Cancer Type/Location/Pathology: Ex. Poorly differentiated carcinoma of the left breast; ki-67 of 30% Diagr			nosis Date:	
			Stage I N	:: II III IV ot applicable
	TREATMENT WITH	IMMUNOTHERAPY		
Surgery: Yes No If ye	s, surgical procedure/location	/findings:		Surgery Date:
Radiation: Yes No If yes, radiation procedure/location:			Initiation: Completion:	
Systematic Therapy (chemotherapy	, targeted therapy, immunothe	erapy, other): Yes	No	
Names of Agent(s) Used:	Completion Date: (n/a, if ongoing)	Side Effects Experienced:		
•				
•				
•				

Clinical Trial? Yes No	Initiation and Completion Dates: (If treatment is ongoing, choose "Current".) Initiation: Completion: Current					
Clinical Trial Information: (Name/# of trial, expected f/u, study-specific contact names/numbers,etc.)						
Persistent symptoms or treatment side effects Yes No If yes, explain below, including current management strategy and/or recommendations						
Symptom/Side Effects		Strategy/Recommendation				
• Ex., pain from bone metatases	3	Ex., Continue steroidal treatment and radia	tion			
•		•				
•		•				
•		•				
Need for Ongoing (Maintenance) Treatment for Cancer: Yes No Unknown If yes, answer below:						
Agent		Start Date				
•						
•						

SIDE EFFECT MONITORING

While most side effects from immunotherapy present within a few months, some may not present for up to several years after treatment discontinuation. In addition, some symptoms may appear to be connected to a different treatment or condition, while they may actually be serious side effects from immunotherapy.

Possible side effects for immunotherapy include: *

- Gastrointestinal: Diarrhea, colitis, acute pancreatitis
- Pneumonitis: Inflammation in the lungs
- Dermatologic: Rashes and itchiness
- Endocrine: Diabetes, thyroid

- Musculoskeletal: Arthralgia, arthritis
- Cardiovascular: Pericarditis, myocarditis, arrhythmia
- Kidney infections

* This is only a partial list. See guidelines below for definitive list.

Notify the oncology care team if any new signs or symptoms develop, including severe fatigue, headache, rash, cough, shortness of breath, chest pain, abdominal bloating, change in bowel pattern, weight loss, vision changes or eye pain, severe muscle weakness, severe muscle or joint pains, and/or mood changes.

GUIDELINES FOR MANAGING IMMUNOTHERAPY SIDE EFFECTS

NCCN Clinical Guidelines

nccn.org/professionals/physician_gls/pdf/immunotherapy.pdf

ESMO Clinical Practice Guidelines: Management of Toxicities From Immunotherapy

esmo.org/content/download/151567/2718664/1/Clinical-Practice-Guidelines-Slideset-Toxicities-Immunotherapy.pdf

American Cancer Society Patient Education: Immune Checkpoint Inhibitors and Their Side Effects

cancer.org/treatment/treatments-and-side-effects/treatment-types/immunotherapy/immune-checkpoint-inhibitors.html

NCCN Understanding Immunotherapy Side Effects nccn.org/images/pdf/Immunotherapy_Infographic.pdf

ADDITIONAL COMMENTS ABOUT PATIENT EXPERIENCE				
(Specific notes about patient experience)				

ADDITIONAL RESOURCES

IO Institute: Immunotherapy

accc-cancer.org/home/learn/precision-medicine/treatment/immunotherapy

IO Wallet Card for Patients

accc-cancer.org/home/learn/immunotherapy/resource-detail/publication-io-wallet-card

